

In-stock DAC high-speed cable QSFP-DD



Overview

Innoptical's IN-DAC-400G-Dxxx QSFP-DD passive copper cable assembly feature eight differential copper pairs, providing four data transmission channels at speeds up to 56Gbps (PAM4) per channel, and meets 400G Ethernet and InfiniBand Enhanced Data Rate (EDR) requirements. QSFP-DD Cables (QSFP-DD DAC Cables) by Amphenol Now In-Stock at Speeds up to 800. 0 Gbps with 1600 Gbps Coming Soon! Amphenol is the leading QSFP-DD Direct Attach Cable (DAC) manufacturer and Cables on Demand offers you access to the same 400G and 800G QSFP-DD DAC Cables powering the world's most. The 400G DAC features two 400G QSFP-DD connectors and one passive copper cable, providing 400G data rates. 400G QSFP-DD DAC is a cost-effective alternative solution to 400G fiber optic products, quite suitable for short-range 400G Ethernet applications. QSFPTEK's 400G DAC is fully compliant to. Amphenol's QSFP DD (Quad Small Form Factor Pluggable Double Density) copper cable assemblies double the number of channels from 4 to 8 lanes when compared to the existing QSFP cabling systems, enabling more bandwidth within the same mechanical envelope. It provides a QSFP-DD-to-QSFP-DD copper direct-attach solution.



Article Content

200G QSFP-DD to 8x25G SFP28 Passive DAC Breakout Cable: 200G-PDAC-QSFP ...

200G QSFP-DD to 8x25G SFP28 Passive DAC Breakout Cable Overview Our 200G QSFP-DD to 8x25G SFP28 Passive DAC Breakout Cable delivers ultra-high-speed connectivity for next

Optical Transceiver: SFP vs SFP+ vs QSFP28 vs QSFP-DD

Compare SFP, SFP+, QSFP+, QSFP28, and QSFP-DD optical transceivers. Learn differences, speeds, and best use cases for data center networks.

400G-PDAC-QSFP-DD-2xQSFP56-0.5

400G QSFP-DD to 2xQSFP56 Passive DAC Cable Overview Our 400G QSFP-DD to 2xQSFP56 Passive DAC Twinax Copper Cable delivers next-generation ultra-high-speed connectivity for

Wireless Professional Solutions | Shop Online Ethernet,

MikroTik DDQ+DA0003 400G QSFP-DD Direct Attach Cable - 3 m (Passive DAC) DDQ+DA0003 \$178.20

Direct Attach Cable (DAC) Assemblies

QSFP-DD/QSFP+ features high-speed I/O passive cable assemblies that can deliver data rates as high as 400 Gbps with a variety of lengths or customized

NVIDIA/Mellanox 1.5m 400G OSFP DAC Twinax Cable (Passive,

312 In Stock 462 Sold US\$ 95.00 1m (3ft) NVIDIA/Mellanox MCP1660-W001E30 Compatible 400G DAC QSFP-DD 8x50G PAM4 to QSFP-DD 8x50G PAM4 Passive Direct Attach Copper Cable 77 Sold

Meet Optech at COMPUTEX 2026 Taipei: DAC, AEC and ACC Cable

Optech will showcase high-speed optical transceivers and cable solutions, including DAC, AEC, ACC, 400G / 800G / 1.6T OSFP series, QSFP-DD, OSFP-DD and fanout cable solutions.

Direct Attach Cable (DAC) Assemblies | Molex

Features and Benefits The Quad Small Form-factor Pluggable Double Density (QSFP-DD) Interconnect Solution is specifically designed to meet high-density applications with its efficient use of space,

SFP+, XFP, QSFP+, DAC Twinax Cable 10Gtek Transceivers Co., Ltd

DAC Twinax Cable Maker. CE, FCC, RoHS, ISO9001 Certified. Professional Manufacturer focusing on SFP+ Cables, QSFP+ Cables, MiniSAS Cables, QSFP Cables, XFP Cables, CX4 Infiniband Cables

QSFP DD Cable Assemblies | High Speed Input Output

Amphenol's QSFP DD (Quad Small Form Factor Pluggable Double Density) copper cable assemblies double the number of channels from 4 to 8

Huawei QSFP

Huawei QSFP- price from Huawei price list 2022, Huawei router price, Huawei switch price

64-port 400G QSFP-DD 25.6T Ethernet 2U Switch for

N9200-64DC is a high-density 400G RoCE 2U switch with 64x400G QSFP-DD ports, SONiC OS, and Broadcom Tomahawk 4 (BCM56990), providing 25.6Tbps

Wholesale Optical Transceivers Module | 100G

Shop high-speed optical transceivers from Unitekfiber. We offer 100% compatible 40G, 100G, and 400G QSFP-DD modules for data centers. Expert technical

800G/400G/200G QSFP-DD Transceivers and Cables

NADDOD's 800G/400G/200G QSFP-DD transceivers and AOC/DAC cables support high-speed Ethernet (RoCE) and are compatible with major devices from Arista, NVIDIA, Cisco, Broadcom, and

400G QSFP-DD DAC Cable

OPTCORE 400G QSFP-DD DAC cables are suitable for very short 400-gigabit links between QSFP-DD ports of various switches within and across adjacent racks. It is a direct-attached copper cable with a

200G QSFP28-DD Direct Attach Cable | AscentOptics

The 200G QSFP-DD DAC cable contains 16 high-speed copper pairs, each operating at data rates of up to 25Gb/s of NRZ signals. It is compliant with QSFP28 MSA and supports the SFF-8636 compliant

QSFP-DD Direct Attach Cables (200G/400G/800G DAC)

Our High-Speed QSFP-DD Cables are QSFP-DD MSA compliant and protocol agnostic for worry-free integration into 200/400/800-Gigabit Ethernet and InfiniBand networks.

Fortinet FN-CABLE-QSFPDD-DAC-01 QSFP-DD to

This BlueLAN FN-CABLE-QSFPDD-DAC-01 400GBase-CR4 1 Meter Direct Attach Cable (DAC) (compatible with Fortinet) is suitable for transmitting

QSFP-DD/OSFP/QSFP112 (400G)

It provides a QSFP-DD-to-QSFP-DD copper direct-attach solution. 400G QSFP-DD DAC cables are suitable for very short links and offer a cost-effective way to

What is QSFP & QSFP+ Transceiver: An Ultimate

QSFP DAC: Direct attach copper cable with QSFP+ module on both ends, mainly for very short interconnectivity, like between adjacent switches or

Amphenol 400G QSFP-DD DAC High Speed Cable | Mercari

Shop smarter: Amphenol 400G QSFP-DD DAC High Speed Cable 1.13M 30AWG 1133365-01 NJPPER-G604-01 networking & connectivity. Fair condition with free shipping.

NVIDIA Mellanox MCP1600-C005 Passive Copper DAC 100GbE QSFP

NVIDIA Mellanox® MCP1600-C005 — 100GbE ETH Passive Copper DAC QSFP 5m
Technical Identity The NVIDIA Mellanox® MCP1600-C005 is a 5-meter Passive Copper Direct-Attach Cable (DAC)

400G QSFP-DD DAC: High-Speed Direct Connect Solution

Innoptical provides high-performance 400G QSFP-DD direct attach cables for high-bandwidth connections in your data center. Experience low latency, seamless integration, and optimized

400G QSFP-DD | Direct Attach Cable (DAC)

Cost-effective 400G QSFP-DD DAC cables with low power and low latency. Ideal for short-distance Ethernet connections.

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://dknconsulting.co.za>

Email: info@dknconsulting.co.za

Phone: +31 6 2948 7351

Address: Herengracht 123, 1015 BT Amsterdam, Netherlands

This document is for informational purposes only. Specifications subject to change without notice.

